

STATUS

TENDER ISSUE

NOTES

1. THE ISOMETRIC DRAWINGS ENCOMPASS THE ENTIRE SCOPE OF LIGHTING WORKS PARAGRAPHS 1 AND 2, TO COMMUNICATE THE OVERALL LIGHTING DESIGN. FOR INDIVIDUAL PACKAGES REFERS TO THE RELEVANT LAYOUTS AND SECTIONS OF SPECIFICATIONS.

AMENDMENTS		
REV	DESCRIPTION	DATE
A	TENDER ISSUE	20.02.14
B	REVISED TENDER ISSUE	15.04.14
C	REVISED TENDER ISSUE	06.09.14

STAGE 1 WORKS. 3 x TYPE U2-W MOUNTED ON ROOFTOP WASHING WALL. REFER TO L3000, DETAIL 3

STAGE 1 WORKS. 2 x TYPE U10 MOUNTED ON ROOFTOP WASHING WALL. REFER TO L3000, DETAIL 4

STAGE 2 WORKS. 6 x TYPE U10 ALONG LEVEL 1 TO ON BALCONY BALUSTRADE WASHING WALL ABOVE GLAZING. REFER TO L3007, DETAIL 1. CONTRACTOR TO ALLOW FOR POTENTIAL MOUNTING ON NEW SHADING STRUCTURE

STAGE 2 WORKS. 3 x TYPE U10 ALONG LEVEL 3 NORTH BALCONY BALUSTRADE WASHING WALL ABOVE GLAZING. REFER TO L3007, DETAIL 1. 2 x TYPE S4 ON BALCONY BALUSTRADE TO WASH WEST FACING WALL AT BALCONY END. CONTRACTOR TO ALLOW FOR POTENTIAL MOUNTING ON NEW SHADING STRUCTURE

STAGE 2 WORKS. 3 x TYPE U10 MOUNTED ON LEVEL 2 INNER BALCONY BALUSTRADE WASHING WALLS ABOVE GLAZING. REFER TO L3000, DETAIL 3

STAGE 2 WORKS. 4 x TYPE U10 ALONG LEVEL 0 WEST BALCONY BALUSTRADE WASHING WALL ABOVE GLAZING. REFER TO L3000, DETAIL 2. CONTRACTOR TO ALLOW FOR POTENTIAL MOUNTING ON NEW SHADING STRUCTURE

STAGE 2 WORKS. 1 x TYPE U4 AND 1 x TYPE U10 MOUNTED ON BALCONY LEDGE GRADING WALL & 2 x TYPE S3 UPLIGHTING UNDERSIDE OF OVERHANG. REFER TO L3007, DETAIL 1. MOCK UP REQUIRED FOR THIS LOCATION

STAGE 2 WORKS. 4 x TYPE U2 U2 (2 ON BOTH SIDES OF COLUMN) MOUNTED INGROUND TO GRAZE UP COLUMNS. REFER TO L3004 FOR LOCATIONS

STAGE 1 WORKS. REMOVE EXISTING POLE AND LUMINAIRES AND CAMERA AND OFFER TO HCA FOR SALVAGE. POWER AND SECURITY CABLEING TO BE DIVERTED TO NEW POLE 4

STAGE 1 WORKS. POLE 4. 11 x TYPE S1-W and 3 x TYPE S1-E LUMINAIRES TO BE MOUNTED ON NEW POLE 4. REFER TO L3000 FOR LOCATION AND L1010 FOR DETAILS.

STAGE 1 WORKS. 4 x TYPE S1 LUMINAIRES TO BE MOUNTED ON EXISTING INFRASTRUCTURE ON PROTOTYPE BUILDING. EXISTING LUMINAIRES ON PROTOTYPE BUILDING TO BE DISCONNECTED & OFFERED TO THE HCA FOR SALVAGE. REFER TO L3001 FOR LOCATION. POWER TO BE DIVERTED TO NEW LUMINAIRES

STAGE 1 WORKS. POLE 5. 8 x TYPE S1-E LUMINAIRES TO BE MOUNTED ON NEW POLE. REFER TO L3000 FOR LOCATION AND L1011 FOR DETAILS.

STAGE 1 WORKS. REMOVE EXISTING POLE AND LUMINAIRES AND CAMERA AND OFFER TO HCA FOR SALVAGE. POWER AND SECURITY CABLEING TO BE DIVERTED TO NEW POLE 5

Copenhagen  
London  
Sydney  
Hong Kong  
New York

8, 9 Castlereagh St.  
Sydney, NSW, 2000, Australia  
ABN 50 001 189 037  
t : +61 / 02 9967 2200  
e : info@steensenvarming.com

STEENSEN VARMING

HCA

High Court of Australia  
Canberra ACT  
for and on behalf of  
The National Capital  
Development Commission



PROJECT  
HIGH COURT OF AUSTRALIA  
FACADE LIGHTING UPGRADE

PARKES PL. PARKES - ACT

DRAWING TITLE  
LIGHTING  
ISOMETRIC VIEW - LUMINAIRE  
LOCATIONS VIEWED FROM  
NORTHWEST



CREATED DRAWN DESIGNED CHECKED

DEC'13 AZ SL EU

APPROVED SCALE NORTHPOINT

EU

PROJECT No. DRAWING No. REVISION

13771 L1002 C