





1 LEVEL 3 BALCONY TYPE S3 INDICATIVE MOUNTING



2 LEVEL 3 TYPE U4 & U5 INDICATIVE MOUNTING




3 LEVEL 6 ROOFTOP TYPE W1-M INDICATIVE MOUNTING



4 LEVEL 9 NORTH BALCONY TYPE U3 INDICATIVE MOUNTING

## MOUNTING DETAIL TO BE FINALISED



6 LEVEL 9 INNER BALCONY TYPE U3 INDICATIVE MOUNTING



7 LEVEL 9 WEST BALCONY TYPE U3 INDICATIVE MOUNTING



8 LEVEL 10 NORTH BALCONY TYPE U3 INDICATIVE MOUNTING




9 ROOFTOP NORTH EAST TYPE U3-W INDICATIVE MOUNTING ARRANGEMENT




10 ROOFTOP NORTHWEST TYPE U3 INDICATIVE MOUNTING DETAIL



11 LEVEL 10 ROOFTOP TYPE U3 - INDICATIVE MOUNTING



12 LEVEL 4 BALCONY TYPE W1-A INDICATIVE MOUNTING



13 LEVEL 7a TRUSS TYPE S5 AND S5-M INDICATIVE MOUNTING

DESIGNED UNDER QUALITY SYSTEM CERTIFIED AS COMPLYING WITH ISO 9001 BY AN ACCREDITED CERTIFICATION BODY

© Copyright. This document and design remains the copyright of Steensen Varming (Australia) Pty Ltd and cannot be reproduced in any way without prior consent. The contractor shall verify all dimensions and levels on site to the extent of a preliminary drawing. The contractor shall advise any discrepancies to the engineer before proceeding with the work. This drawing shall be read in conjunction with other contract documents, drawings and project specifications. This file has been checked by an internal program with the latest update. However new viruses are discovered everyday we recommend that this file is rechecked upon receipt

## TENDER ISSUE


1. THE LIGHTING DETAILS ENCOMPASS THE ENTIRE SCOPE OF LIGHTING WORKS PACKAGE 1 AND 2, TO COMMUNICATE THE OVERALL LIGHTING DESIGN FOR INDIVIDUAL PACKAGES REFER TO THE RELEVANT LAYOUTS AND SECTIONS OF SPECIFICATIONS.
2. THE DETAILS SHOWN ON THIS DRAWING ARE INDICATIVE. THE CONTRACTOR SHOULD PROVIDE IN-HOUSE DRAWINGS OF LUMINAIRE LOCATIONS, BRACKETS AND MOUNTING ARRANGEMENTS WITH ACCURATE DIMENSIONS FOR REVIEW AND APPROVAL.
3. MINIMIZE ANY VISIBLE FRINGS.
4. MINIMIZE ANY VISIBLE SURFACE MOUNTED EXPOSED CABLEING AND CONDUITS RETICULATED IN CONCEALED LOCATIONS.
5. ALL REMOTE CONTROL GEAR IN CONCEALED BUT ACCESSIBLE LOCATIONS. DISTANCES BETWEEN CONTROL GEAR AND LED LUMINAIRES ALWAYS AS PER MANUFACTURERS RECOMMENDATIONS.
6. CONTRACTOR TO ENSURE INTEGRITY OF ANY WATERPROOF MEMBRANE OF BALCONIES REMAINS INTACT.

AMENDMENTS		
REV	DESCRIPTION	DATE
A	TENDER ISSUE	20.02.14

Copenhagen  
London  
Sydney  
Hong Kong  
New York

8, 9 Castlereagh St.  
Sydney, NSW, 2000, Australia  
ABN 50 001 189 037  
t: +61 / 02 9967 2200  
e: info@steensenvarming.com

STEENSEN VARMING



PROJECT  
HIGH COURT OF AUSTRALIA  
FACADE LIGHTING UPGRADE

PARKES PL. PARKES - ACT

DRAWING TITLE  
LIGHTING  
LIGHTING DETAILS - BALCONIES AND  
ROOFTOPS

0 5m 10m			
CREATED	DRAWN	DESIGNED	CHECKED
DEC'13	AZ	SL	EU
APPROVED	SCALE	NORTHPOINT	
EU			
PROJECT No.	DRAWING No.	REVISION	
13771	L1007	A	